

नेपाल सरकार  
सङ्घीय मामिला तथा सामान्य प्रशासन मन्त्रालय  
स्थानिय पूर्वाधार विभाग (डोली)  
प्रादेशिक एवं स्थानीय सडक निर्माण तथा सुधार कार्यक्रम  
कार्यक्रम समन्वय इकाई (PCU), ललितपुर  
विषय : विक्रेताको सूची तयार गर्ने सम्बन्धी सूचना ।

प्रथम प्रकाशन मिति: २०७७/१२/२०

यस कार्यक्रम अन्तर्गतको कार्यक्रम समन्वय ईकाईमा संलग्न स्पेसिफिकेशन अनुसारको Motorcycle, Scooter खरिद गर्नु पर्ने भएको हुनाले त्यस्तो सामान उपलब्ध गराउन इच्छुक उत्पादक वा आधिकारिक विक्रेताहरूले यो सूचना प्रकाशन भएको मितिले दश दिन भित्र क्याटलग सर्पिंग (Catalogue Shopping) गर्ने कार्यविधि २०७४ को बुदा नं. ५ तथा प्रचलित नियमानुसार देहायको विवरण सहित प्रस्ताव पेश गर्नुहुन यो सूचना प्रकाशन गरिएको छ । म्याद नाघी आएको प्रस्तावलाई मौजुदा सूचीमा समावेश नगरिने व्यहोरा समेत जानकारी गराईन्छ । थप जानकारी [www.doli.gov.np](http://www.doli.gov.np) बाट प्राप्त गर्न सकिनेछ ।

तपसिल:

१. उत्पादक वा आधिकारिक विक्रेता तोकिएको प्रमाण पत्र
२. मु.अ.कर वा स्थायी लेखा नं. दर्ता प्रमाणपत्रको प्रतिलिपि
३. माथि उल्लेखित उपकरणहरूको विवरण स्पष्ट खुलेको क्याटलग वा आधिकारिक वेबसाइटको विवरण
४. सम्पर्क गर्ने आधिकारिक व्यक्तिको नाम, सम्पर्क नं. तथा बिक्रेता वा उत्पादकको ठेगाना ।

प्रस्ताव पेश गर्ने ठेगाना :

श्रीमहल , पुलचोक , ललितपुर

इमेल : [plrcippcu.doli@gmail.com](mailto:plrcippcu.doli@gmail.com)

सम्पर्क न ९८५११०६३०६

कार्यक्रम संयोजक

## Technical Specifications of Motorcycle

| S. No | CRITERIA                  | DEPARTMENTAL REQUIREMENT  | OFFERED SPECIFICATION |
|-------|---------------------------|---|-----------------------|
| 1     | General                   | Motor cycle of sturdy design, suitable for driving on rough road.   | Make:<br>Model:       |
| 2     | Engine                    | Four Stroke, Petrol Engine, (160±12) cc developing Maximum net power not less than 12 PS at governed RPM and Maximum torque output not less than 12 N-m, for efficient running of motorcycle. | Make:<br>Model:       |
| 3.    | Gauges                    | To include speedometer, fuel etc. as necessary for efficient operation and maintenance  |                       |
|       | Transmission              | Minimum Five speed manual gear  |                       |
| 5.    | Brake                     | Rear: Hydraulic Drum,<br>Front: Hydraulic Disc  |                       |
| 6.    | Frame Suspension & others | Sturdy frame and suspension with telescopic shock absorbers.<br>Ground Clearance not less than 160 mm<br>Fuel Tank Capacity: Not less than 12 Liters.   |                       |
| 7.    | Essential Accessories     | 1. Head light, rear and turn signal lights<br>2. Two rear view mirror<br>3. Safety lock for steering<br>4. Full Helmet and Helmet Lock  |                       |
| 8.    | Instructions              | All signs and instructions in the equipment shall be in English.  |                       |
| 9.    | Manuals                   | One copy of the Operator's and Owner's Instructions and maintenance manual in English shall be supplied with each motorbike.  |                       |
| 10.   | Color                     | Standard Color  |                       |
| 11.   | Tools                     | A set of tools as required for general maintenance shall be supplied with in a lockable tool box for each unit.   |                       |
| 10    | Proven performance        | The motor cycle offered shall be a current model under standard production by the manufacturer for at least one year.   |                       |

1. N. P.
   
 Regional Engineer
   
 Technical
   
 [Handwritten initials and signatures]

## Technical Specifications of Motorcycle

|    |                               |  |  |
|----|-------------------------------|--|--|
| 11 | Warranty & Service Facilities | Manufacturer shall provide a <b>minimum one (1) year warranty &amp; Five (5) times free Service after delivery.</b>  |  |
| 12 | Emission Standard             | The Emission Standard of the vehicle should be capable of meeting applicable "Nepal Vehicle Mass Emission Standard 2069" which must be certified by Department of Transport Management, Nepal. |  |
| 13 | Delivery                      | <b><u>The Motorcycles 3 units shall be delivered to Department of Local Infrastructure, Provincial and Local Road Construction and Improvement Programme, Lalitpur.</u></b>                    |  |

**Note:**

The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid offered.

Prepared By:

Babu Ram Kharel

Senior Divisional Engineer (Mechanical)

Department of Water Resources and Irrigation

Jawalakhel, Lalitpur

*VRP*  
12-16

Senior Divisional Engineer  
Mechanical

Approved By:

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

## Technical Specifications of Scooter:

| S.No | CRITERIA              | DEPARTMENTAL REQUIREMENT   | OFFERED SPECIFICATION |
|------|-----------------------|--|-----------------------|
| 1    | General               | Scooter of sturdy design, suitable for driving on rough road.  | Make:<br>Model:       |
| 2    | Engine                | Four Strokes, Petrol Engine, Minimum (125±3) CC, developing Maximum net power not less than 8 PS at governed RPM and Maximum torque output not less than 9.5 N-m, for efficient running of motorcycle Starting system with self & kick.                          | Make:<br>Model:       |
| 3    | Transmission          | Automatic/Gear Less  |                       |
| 4    | Brake                 | Rear: Drum<br>Front: Disc  |                       |
| 5    | Frame/<br>Suspension  | Sturdy frame and suspension with telescopic fork/unit swing/Swing arm/ Gas filled hydraulic type Coil Spring shock absorber/Spring loaded hydraulic type/Hydraulic shock absorbers.<br>Ground Clearance not less than 145 mm<br>Wheelbase: Not less than 1250 mm |                       |
| 6    | Essential Accessories | 1. Head light, rear and turn signal lights<br>2. Two rear view mirrors<br>3. Safety lock for steering<br>4. Helmet   |                       |
| 7    | Instructions          | All signs and instructions in the equipment shall be in English.   |                       |
| 8    | Manuals               | One copy of the Operator's and Owner's Instructions and maintenance manual in English shall be supplied with each scooter.   |                       |
| 9    | Tools                 | A set of tools as required for general maintenance shall be supplied with in a lockable tool box for each unit.  |                       |

*Handwritten signature*

*Divisional Engineer*

*Tejendra Kumar*

*Handwritten signature*

*Handwritten signature*


## Technical Specifications of Scooter:

|    |                               |   |  |
|----|-------------------------------|---|--|
| 10 | Proven performance            | <p>1. The Scooter offered shall be a current model under standard production by the manufacturer for at least one year.</p> <p>2. The bidder shall provide the manufacturer's data of the performance of the unit to include the fuel consumption, performance curve of the engine etc.</p> |  |
| 11 | Warranty & Service facilities | <p>Manufacturer shall provide a <b>minimum one (1) year warranty &amp; Minimum Five (5) times free service after delivery.</b></p>  |  |
| 12 | Emission Standard             | <p>The Emission Standard of the vehicle should be capable of meeting applicable "Nepal Vehicle Mass Emission Standard 2069" which must be certified by Department of Transport Management, Nepal.</p>   |  |
| 13 | Delivery                      | <p><b>The Scooters 2 units shall be delivered to Department of Local Infrastructure, Provincial and Local Road Construction and Improvement Programme, Lalitpur</b></p>   |  |

**Note:**

The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid offered.

Prepared By:  
 Babu Ram Kharel  
 Senior Divisional Engineer (Mechanical)  
 Department of Water Resources and Irrigation  
 Jawalakhel, Lalitpur

  
 12-16  
 Senior Divisional Engineer

Approved By:

